




ITEM	DESCRIPTION
1	COIL CONNECTIONS \varnothing 22mm OD (LPHW UNITS ONLY)
2	CABLE ENTRY (2-POSITIONS)
3	ALTERNATIVE CABLE ENTRY \varnothing 25mm HOLE (2-POSITIONS)
4	PIPEWORK / CABLE SHROUD (REMOVABLE TO AID INSTALLATION)
5	FIXING HOLES \varnothing 13mm (4-POSITIONS) (SUITABLE WALL FIXINGS BY OTHERS)
6	ACCESS PANEL
7	CONTROL BOX
8	DISCHARGE GRILLE

OPTION:


- LPHW UNITS: COIL TAILS CAN BE AT THE OPPOSITE END OF UNIT.

NOTES:

1. GENERAL TOLERANCE ON OVERALL DIMENSIONS: +/-4mm.
2. OUTER CASING FINISHED IN POWDERCOAT PAINT (COLOUR SPECIFIED BY THE CUSTOMER), OR BRUSHED STAINLESS STEEL.
3. DISCHARGE GRILLE PAINTED TO MATCH OUTER CASING, OR WITH A NATURAL ANODISED ALUMINIUM FINISH.



UNIT	WEIGHT
1000 LPHW	55Kg
1500 LPHW	74Kg
1000 ELEC.	60Kg
1500 ELEC.	77Kg



The designs shown in these drawings are the original creations of Diffusion Environmental Systems which owns all the intellectual property rights therein. No reproduction may be made of the drawings nor may articles be made therefrom without prior written permission
ALL RIGHTS RESERVED
C D Diffusion 2000

REV.	MOD.NO.	DATE	DRN	CHKD	DRAWING TO B.S. 308:PARTS 1.2 AND 3. WELDING TERMS AND SYMBOLS TO B.S. 499:PART 2.																																
2	LPHW ADDED	30-08-06	MW																																		
MODIFICATION					<table border="1"> <thead> <tr> <th>GEOMETRIC CHARACTERISTIC</th> <th>SYM</th> <th>CHARACTERISTIC</th> <th>SYM</th> </tr> </thead> <tbody> <tr> <td>Straightness</td> <td>—</td> <td>Angularity</td> <td>∠</td> </tr> <tr> <td>Flatness</td> <td>▭</td> <td>Run out</td> <td>↗</td> </tr> <tr> <td>Roundness</td> <td>○</td> <td>Position</td> <td>⊕</td> </tr> <tr> <td>Cylindricity</td> <td>⊘</td> <td>Concentricity</td> <td>⊗</td> </tr> <tr> <td>Profile of a line</td> <td>⌒</td> <td>Symmetry</td> <td>⊥</td> </tr> <tr> <td>Profile of a surface</td> <td>⌒</td> <td>M.C.</td> <td>⊙</td> </tr> <tr> <td>Parallelism</td> <td>∥</td> <td>Squareness</td> <td>⊥</td> </tr> </tbody> </table>	GEOMETRIC CHARACTERISTIC	SYM	CHARACTERISTIC	SYM	Straightness	—	Angularity	∠	Flatness	▭	Run out	↗	Roundness	○	Position	⊕	Cylindricity	⊘	Concentricity	⊗	Profile of a line	⌒	Symmetry	⊥	Profile of a surface	⌒	M.C.	⊙	Parallelism	∥	Squareness	⊥
GEOMETRIC CHARACTERISTIC	SYM	CHARACTERISTIC	SYM																																		
Straightness	—	Angularity	∠																																		
Flatness	▭	Run out	↗																																		
Roundness	○	Position	⊕																																		
Cylindricity	⊘	Concentricity	⊗																																		
Profile of a line	⌒	Symmetry	⊥																																		
Profile of a surface	⌒	M.C.	⊙																																		
Parallelism	∥	Squareness	⊥																																		
1	REQ4245	27-06-06	MW		ALL DIMENSIONS IN MM THIRD ANGLE PROJECTION TOLERANCES UNLESS OTHERWISE STATED DIMENSIONAL \pm 0.5 ANGULAR \pm 1°																																

SCALE	N.T.S.	DRAWN	MW	TITLE
MAT'L		DATE	27-06-06	GENERAL ARRANGEMENT - SALES CHAMELEON 1000 & 1500 LPHW/ELECTRIC CIRCULAR DOOR HEATER HORIZONTAL (SIDE MOUNTED VERSION)
FINISH		CHECKED		
		DATE		
		APP'D		JOB STANDARD OPTION
		DATE		DRG.NO. A1/20146

DIFFUSION
 47 Central Avenue, West Molesey, Surrey, KT8 2QZ
 Telephone 020 8783-0033 Fax 020 8783 0140
 email: diffusion@etl@btv.co.uk