

# Plan XV - length 550



## OUTPUT IN WATTS AT A TEMPERATURE SET OF 75°/65°/20°C

Height	Depth = 86 (type 21)	Depth = 116 (type 22)	Depth = 173 (type 33)
1600	1097	1388	2001
1700	1149	1452	2098
1800	1192	1506	2179
1900	1351	1678	2425
2000	1402	1739	2520
2100	1437	1785	2587
2200	1477	1837	2665
2300	1467	1842	2664
2400	1504	1890	2736
2500	1541	1938	2806
2600	1531	1945	2807
2700	1571	1994	2881
2800	1615	2050	2965
2900	1793	2230	3237
3000	1797	2252	3260

Subject to technical modifications and typographical errors – and to changes in the product range. Find the latest updates on [www.hudevad.com](http://www.hudevad.com).

# Plan XV - length 650



## OUTPUT IN WATTS AT A TEMPERATURE SET OF 75°/65°/20°C

Height	Depth = 86 (type 21)	Depth = 116 (type 22)	Depth = 173 (type 33)
1600	1372	1735	2501
1700	1436	1815	2623
1800	1491	1882	2724
1900	1689	2097	3032
2000	1752	2174	3150
2100	1796	2231	3234
2200	1847	2296	3331
2300	1833	2302	3330
2400	1880	2363	3420
2500	1926	2423	3507
2600	1913	2431	3509
2700	1963	2493	3601
2800	2019	2562	3706
2900	2241	2788	4046
3000	2246	2814	4075

Subject to technical modifications and typographical errors – and to changes in the product range. Find the latest updates on [www.hudevad.com](http://www.hudevad.com).

# Plan XV - length 750



## OUTPUT IN WATTS AT A TEMPERATURE SET OF 75°/65°/20°C

Height	Depth = 86 (type 21)	Depth = 116 (type 22)	Depth = 173 (type 33)
1600	1646	2082	3001
1700	1723	2178	3147
1800	1789	2259	3268
1900	2027	2516	3638
2000	2103	2609	3780
2100	2155	2677	3881
2200	2216	2755	3998
2300	2200	2763	3996
2400	2257	2835	4104
2500	2311	2908	4209
2600	2296	2917	4210
2700	2356	2991	4321
2800	2423	3075	4447
2900	2690	3346	4855
3000	2695	3377	4889

Subject to technical modifications and typographical errors – and to changes in the product range. Find the latest updates on [www.hudevad.com](http://www.hudevad.com).

# Plan XV - length 850



## OUTPUT IN WATTS AT A TEMPERATURE SET OF 75°/65°/20°C

Height	Depth = 86 (type 21)	Depth = 116 (type 22)	Depth = 173 (type 33)
1600	1920	2428	3501
1700	2010	2540	3672
1800	2087	2635	3813
1900	2365	2936	4244
2000	2453	3044	4410
2100	2515	3123	4527
2200	2585	3215	4664
2300	2567	3223	4661
2400	2633	3308	4788
2500	2696	3392	4910
2600	2679	3403	4912
2700	2748	3490	5042
2800	2827	3587	5188
2900	3138	3903	5664
3000	3144	3940	5704

Subject to technical modifications and typographical errors – and to changes in the product range. Find the latest updates on [www.hudevad.com](http://www.hudevad.com).

# Plan XV - length 950



## OUTPUT IN WATTS AT A TEMPERATURE SET OF 75°/65°/20°C

Height	Depth = 86 (type 21)	Depth = 116 (type 22)	Depth = 173 (type 33)
1600	2194	2775	4002
1700	2297	2903	4197
1800	2385	3011	4358
1900	2702	3355	4851
2000	2804	3479	5040
2100	2874	3569	5174
2200	2955	3674	5330
2300	2933	3684	5327
2400	3009	3781	5472
2500	3081	3877	5612
2600	3061	3890	5614
2700	3141	3988	5762
2800	3231	4099	5930
2900	3586	4461	6473
3000	3594	4503	6519

Subject to technical modifications and typographical errors – and to changes in the product range. Find the latest updates on [www.hudevad.com](http://www.hudevad.com).

# Plan XV - length 1050



## OUTPUT IN WATTS AT A TEMPERATURE SET OF 75°/65°/20°C

Height	Depth = 86 (type 21)	Depth = 116 (type 22)	Depth = 173 (type 33)
1600	2469	3122	4502
1700	2585	3266	4721
1800	2683	3388	4903
1900	3040	3774	5457
2000	3154	3913	5670
2100	3233	4015	5821
2200	3324	4133	5997
2300	3300	4144	5993
2400	3385	4253	6156
2500	3466	4362	6313
2600	3444	4376	6315
2700	3534	4487	6482
2800	3635	4612	6671
2900	4035	5018	7282
3000	4043	5066	7334

# Plan XV - length 1150



## OUTPUT IN WATTS AT A TEMPERATURE SET OF 75°/65°/20°C

Height	Depth = 86 (type 21)	Depth = 116 (type 22)	Depth = 173 (type 33)
1600	2743	3469	5002
1700	2872	3629	5246
1800	2981	3764	5447
1900	3378	4194	6063
2000	3505	4348	6300
2100	3592	4461	6468
2200	3693	4592	6663
2300	3667	4604	6659
2400	3761	4726	6841
2500	3851	4846	7015
2600	3827	4862	7017
2700	3926	4986	7202
2800	4039	5124	7412
2900	4483	5576	8092
3000	4492	5629	8149

Subject to technical modifications and typographical errors – and to changes in the product range. Find the latest updates on [www.hudevad.com](http://www.hudevad.com).