

DO NOT SCALE

IF IN DOUBT ASK


© COPYRIGHT RESERVED ET ENVIRONMENTAL LTD.

NOTES

- 1, FIELD WIRING SHOWN THUS: - - - - -
- 2, WIRES TO BS.4808 COPPER
24/0,2(0,75²mm)
- 3, G/Y = GREEN/YELLOW
- 4, HR = HEAT RESISTANT WIRE. COPPER 1.3mm²
WITH LAQ GLASS BRAID OVERALL.
- 5, HD = HEAVY DUTY TO BS6231 COPPER 1.5mm²

FUSED
POWER SUPPLY
220-240V
1ph. 50Hz.
(BY OTHERS)

INTEGRAL OR REMOTE
THERMOSTAT (OPTIONAL)



3 SINGLE SWITCHES
FOR FAN ONLY
(1.5Kw + 1.5Kw)

REV.	MOD.NO.	DATE	DRN	CHKD	DRAWING TO B.S. 308:PARTS 1,2 AND 3.				SCALE	DRAWN	ANR	DIFFUSION ENVIRONMENTAL LTD	
4	ECR 3309	10-10-06	RH	CDS	WELDING TERMS AND SYMBOLS TO B.S. 499:PART 2.				MAT'L	DATE	04-03-02	47 Central Avenue, West Molesey, Surrey, KT8 2QZ Telephone 020-8783-0033. Fax 020-8783-0140	
3	ECR 2581	04-03-02	ANR	CDS	GEOMETRIC TOLERANCE SYMBOLS				ALL DIMENSIONS IN MM THIRD ANGLE PROJECTION	CHECKED	CDS	TITLE WIRING DIAGRAM. FCH 6 3 Kw ELECTRIC UNIT	
2	ECR 1277	02-05-95	SSC		CHARACTERISTIC	SYM	CHARACTERISTIC	SYM		DATE	04-03-02	JOB	
1	APP'D ISS.	14-12-93	RH		Straightness	—	Angularity	∠		APP'D	CDS	DRG.NO. A3/3125	
					Flatness	∇	Run-out	↗		DATE	04-03-02		
					Roundness	○	Position	⊕	FINISH				
					Cylindricity	∅	Concentricity	◎					
					Profile of a line	∩	Symmetry	≡					
					Profile of a surface	∩	M.M.C.	Ⓜ					
					Parallelism	//	Squareness	⊥					
											TOLERANCES UNLESS OTHERWISE STATED DIMENSIONAL ± 0,5 ANGULAR ± 1°		